

| HoleID | From_m | To_m | Length_m | g/t_Au |
|--------|--------|--------|----------|--------|
| BAF-1 | 0 | 12.2 | 12.20 | 1.13 |
| BAF-1 | 19.8 | 27.4 | 7.60 | 0.49 |
| BAF-1 | 32 | 33.5 | 1.50 | 0.25 |
| BAF-1 | 35.1 | 39.6 | 4.50 | 0.42 |
| BAF-1 | 44.2 | 50.3 | 6.10 | 1.00 |
| BAF-1 | 53.3 | 54.9 | 1.60 | 0.30 |
| BAF-1 | 85.3 | 86.9 | 1.60 | 0.58 |
| BAF-1 | 93 | 94.5 | 1.50 | 0.92 |
| BAF-1 | 99.1 | 106.7 | 7.60 | 0.42 |
| BAF-1 | 120.4 | 125 | 4.60 | 1.37 |
| BAF-1 | 132.6 | 137.2 | 4.60 | 0.90 |
| BAF-1 | 138.7 | 143.3 | 4.60 | 0.29 |
| BAF-1 | 149.4 | 152.4 | 3.00 | 1.10 |
| BAF-1 | 166.1 | 167.6 | 1.50 | 0.43 |
| BAF-1 | 175.3 | 179.8 | 4.50 | 0.50 |
| BAF-1 | 190.5 | 195.1 | 4.60 | 0.32 |
| BAF-2 | 4.6 | 6.1 | 1.50 | 0.69 |
| BAF-2 | 57.9 | 64 | 6.10 | 0.80 |
| BAF-2 | 73.2 | 74.7 | 1.50 | 0.39 |
| BAF-2 | 77.7 | 80.8 | 3.10 | 0.36 |
| BAF-2 | 85.3 | 91.4 | 6.10 | 0.32 |
| BAF-2 | 96 | 97.5 | 1.50 | 0.28 |
| BAF-2 | 105.2 | 106.7 | 1.50 | 0.44 |
| BAF-2 | 109.7 | 111.3 | 1.60 | 0.32 |
| BAF-2 | 115.8 | 117.3 | 1.50 | 0.42 |
| BAF-3 | 0.00 | 1.50 | 1.50 | 0.52 |
| BAF-3 | 7.60 | 10.70 | 3.10 | 0.85 |
| BAF-3 | 29.00 | 30.50 | 1.50 | 0.38 |
| BAF-3 | 41.10 | 42.70 | 1.60 | 1.57 |
| BAF-3 | 47.20 | 50.30 | 3.10 | 0.86 |
| BAF-3 | 59.40 | 62.50 | 3.10 | 0.51 |
| BAF-3 | 67.10 | 68.60 | 1.50 | 0.44 |
| BAF-3 | 76.20 | 77.70 | 1.50 | 0.33 |
| BAF-3 | 88.40 | 89.90 | 1.50 | 0.40 |
| BAF-3 | 97.50 | 102.10 | 4.60 | 0.31 |
| BAF-3 | 108.20 | 114.30 | 6.10 | 0.38 |
| BAF-3 | 121.90 | 125.00 | 3.10 | 1.19 |
| BAF-4 | 0 | 3 | 3.00 | 0.62 |
| BAF-4 | 7.6 | 10.7 | 3.10 | 1.53 |
| BAF-4 | 16.8 | 48.8 | 32.00 | 0.49 |
| BAF-4 | 54.9 | 56.4 | 1.50 | 0.42 |
| BAF-4 | 64 | 65.5 | 1.50 | 0.61 |
| BAF-4 | 74.7 | 76.2 | 1.50 | 0.62 |
| BAF-4 | 80.8 | 91.4 | 10.60 | 0.97 |
| BAF-4 | 94.5 | 97.5 | 3.00 | 0.33 |
| BAF-4 | 105.2 | 112.8 | 7.60 | 0.31 |
| BAF-4 | 117.3 | 118.9 | 1.60 | 0.30 |
| BAF-4 | 123.4 | 125 | 1.60 | 1.70 |
| BAF-4 | 129.5 | 132.6 | 3.10 | 0.58 |
| BAF-4 | 140.2 | 144.8 | 4.60 | 1.05 |

| HoleID | From_m | To_m | Length_m | g/t_Au |
|--------|--------|--------|----------|--------|
| BAF-4 | 155.4 | 158.5 | 3.10 | 0.35 |
| BAF-4 | 164.6 | 169.2 | 4.60 | 0.34 |
| BAF-4 | 173.7 | 185.9 | 12.20 | 0.38 |
| BAF-4 | 187.5 | 189 | 1.50 | 0.27 |
| BAF-4 | 192 | 193.5 | 1.50 | 0.25 |
| BAF-4 | 208.8 | 216.4 | 7.60 | 0.78 |
| BAF-5 | 4.60 | 10.70 | 6.10 | 0.53 |
| BAF-5 | 15.20 | 16.80 | 1.60 | 0.25 |
| BAF-5 | 18.30 | 21.30 | 3.00 | 0.33 |
| BAF-5 | 25.90 | 30.50 | 4.60 | 0.28 |
| BAF-5 | 38.10 | 47.20 | 9.10 | 0.42 |
| BAF-5 | 59.40 | 62.50 | 3.10 | 0.44 |
| BAF-5 | 73.20 | 74.70 | 1.50 | 2.33 |
| BAF-5 | 82.30 | 89.90 | 7.60 | 0.29 |
| BAF-5 | 129.50 | 131.10 | 1.60 | 0.28 |
| BAF-5 | 141.70 | 143.30 | 1.60 | 0.29 |
| BAF-5 | 146.30 | 147.80 | 1.50 | 0.25 |
| BAF-5 | 157.00 | 158.50 | 1.50 | 0.28 |
| BAF-5 | 170.70 | 172.20 | 1.50 | 0.42 |
| BAF-5 | 175.30 | 179.80 | 4.50 | 0.32 |
| BAF-5 | 184.40 | 185.90 | 1.50 | 0.52 |
| BAF-6 | 3 | 6.1 | 3.10 | 0.84 |
| BAF-6 | 3 | 6.1 | 3.10 | 0.84 |
| BAF-6 | 10.7 | 16.8 | 6.10 | 0.44 |
| BAF-6 | 10.7 | 16.8 | 6.10 | 0.44 |
| BAF-6 | 21.3 | 27.4 | 6.10 | 0.46 |
| BAF-6 | 21.3 | 27.4 | 6.10 | 0.46 |
| BAF-6 | 33.5 | 42.7 | 9.20 | 0.27 |
| BAF-6 | 33.5 | 42.7 | 9.20 | 0.27 |
| BAF-6 | 57.9 | 71.6 | 13.70 | 0.43 |
| BAF-6 | 57.9 | 71.6 | 13.70 | 0.43 |
| BAF-6 | 76.2 | 77.7 | 1.50 | 1.82 |
| BAF-6 | 82.3 | 94.5 | 12.20 | 0.47 |
| BAF-6 | 82.3 | 94.5 | 12.20 | 0.47 |
| BAF-6 | 99.1 | 100.6 | 1.50 | 0.88 |
| BAF-6 | 99.1 | 100.6 | 1.50 | 0.88 |
| BAF-6 | 106.7 | 123.4 | 16.70 | 0.77 |
| BAF-6 | 106.7 | 123.4 | 16.70 | 0.77 |
| BAF-7 | 4.6 | 6.1 | 1.50 | 0.69 |
| BAF-7 | 10.7 | 29 | 18.30 | 0.60 |
| BAF-7 | 35.1 | 38.1 | 3.00 | 0.58 |
| BAF-7 | 42.7 | 44.2 | 1.50 | 0.33 |
| BAF-7 | 50.3 | 53.3 | 3.00 | 1.20 |
| BAF-7 | 62.5 | 64 | 1.50 | 0.25 |
| BAF-7 | 67.1 | 68.6 | 1.50 | 0.50 |
| BAF-7 | 86.90 | 94.50 | 7.60 | 0.36 |
| BAF-7 | 114.30 | 115.80 | 1.50 | 1.22 |
| BAF-7 | 120.40 | 121.90 | 1.50 | 2.16 |
| BAF-7 | 135.60 | 140.20 | 4.60 | 0.68 |
| BAF-7 | 143.30 | 147.80 | 4.50 | 0.76 |

| HoleID | From_m | To_m | Length_m | g/t_Au |
|----------|--------|--------|----------|--------|
| BAF-7 | 152.40 | 153.90 | 1.50 | 0.87 |
| BAF-7 | 161.50 | 300.20 | 138.70 | 1.07 |
| BAF-8 | 6.1 | 7.6 | 1.50 | 0.26 |
| BAF-8 | 10.7 | 12.2 | 1.50 | 0.31 |
| BAF-8 | 18.3 | 22.9 | 4.60 | 0.56 |
| BAF-8 | 27.4 | 29 | 1.60 | 0.26 |
| BAF-8 | 47.2 | 48.8 | 1.60 | 0.28 |
| BAF-8 | 65.5 | 67.1 | 1.60 | 0.44 |
| BAF-8 | 71.6 | 73.2 | 1.60 | 0.32 |
| BAF-8 | 77.7 | 88.4 | 10.70 | 0.51 |
| BAF-8 | 94.5 | 96 | 1.50 | 3.33 |
| BAF-8 | 100.6 | 102.1 | 1.50 | 0.50 |
| BAF-8 | 114.3 | 152.4 | 38.10 | 0.94 |
| L-3 | 3.00 | 26.00 | 23.00 | 1.10 |
| L-4 | 2.00 | 20.00 | 18.00 | 0.90 |
| L-5 | 4.50 | 27.50 | 23.00 | 0.50 |
| L-5 | 38.00 | 59.00 | 21.00 | 1.10 |
| L-5 | 65.00 | 70.00 | 5.00 | 1.00 |
| L-6 | 58.00 | 61.00 | 3.00 | 2.10 |
| LC-TR-01 | 0.00 | 1.52 | 1.52 | 0.53 |
| LC-TR-01 | 4.57 | 7.62 | 3.05 | 0.77 |
| LC-TR-01 | 10.67 | 19.81 | 9.14 | 0.95 |
| LC-TR-01 | 25.91 | 48.77 | 22.86 | 0.62 |
| LC-TR-01 | 51.82 | 56.39 | 4.57 | 0.80 |
| LC-TR-01 | 62.48 | 67.06 | 4.58 | 0.57 |
| LC-TR-01 | 71.63 | 82.30 | 10.67 | 0.92 |
| LC-TR-01 | 88.39 | 91.44 | 3.05 | 0.71 |
| LC-TR-02 | 41.15 | 56.39 | 15.24 | 1.45 |
| LC-TR-02 | 59.44 | 68.58 | 9.14 | 0.45 |
| MK-04-01 | 34.53 | 38.40 | 3.87 | 0.36 |
| MK-04-01 | 44.29 | 46.24 | 1.95 | 0.31 |
| MK-04-01 | 48.52 | 50.84 | 2.32 | 0.80 |
| MK-04-01 | 80.16 | 80.92 | 0.76 | 2.05 |
| MK-04-01 | 92.20 | 93.27 | 1.07 | 1.07 |
| MK-04-01 | 97.08 | 97.90 | 0.82 | 0.45 |
| MK-04-01 | 101.96 | 106.68 | 4.72 | 3.29 |
| MK-04-02 | 10.06 | 34.44 | 24.38 | 0.55 |
| MK-04-02 | 52.82 | 68.95 | 16.13 | 1.16 |
| MK-04-02 | 73.76 | 78.33 | 4.57 | 1.02 |
| MK-04-02 | 83.82 | 87.78 | 3.96 | 0.87 |
| MK-04-02 | 103.14 | 104.03 | 0.89 | 0.84 |
| MK-04-02 | 110.64 | 112.17 | 1.53 | 0.31 |
| MK-04-02 | 113.39 | 115.21 | 1.82 | 0.27 |
| MK-04-02 | 115.82 | 116.74 | 0.92 | 0.31 |
| MK-04-02 | 144.17 | 147.22 | 3.05 | 0.46 |
| MK-04-02 | 170.08 | 176.17 | 6.09 | 0.69 |
| MK-04-02 | 183.79 | 185.32 | 1.53 | 0.57 |
| MK-04-02 | 197.51 | 201.26 | 3.75 | 0.59 |
| MK-04-02 | 241.71 | 243.23 | 1.52 | 0.52 |
| MK-04-02 | 269.93 | 277.34 | 7.41 | 0.89 |

| HoleID | From_m | To_m | Length_m | g/t_Au |
|----------|--------|--------|----------|--------|
| MK-04-03 | 22.56 | 23.77 | 1.21 | 0.27 |
| MK-04-03 | 46.33 | 48.16 | 1.83 | 2.22 |
| MK-04-03 | 63.40 | 64.22 | 0.82 | 0.60 |
| MK-04-03 | 79.19 | 80.92 | 1.73 | 7.19 |
| MK-04-03 | 90.40 | 145.69 | 55.29 | 0.51 |
| MK-04-03 | 148.74 | 189.89 | 41.15 | 0.55 |
| MK-04-03 | 194.46 | 195.99 | 1.53 | 1.27 |
| MK-04-03 | 204.61 | 206.75 | 2.14 | 0.84 |
| MK-04-04 | 3.72 | 5.49 | 1.77 | 0.39 |
| MK-04-04 | 8.53 | 10.00 | 1.47 | 0.34 |
| MK-04-04 | 13.32 | 22.86 | 9.54 | 0.80 |
| MK-04-04 | 25.91 | 28.80 | 2.89 | 0.43 |
| MK-04-04 | 32.61 | 35.66 | 3.05 | 0.73 |
| MK-04-04 | 65.47 | 66.32 | 0.85 | 0.85 |
| MK-04-04 | 125.58 | 128.63 | 3.05 | 0.29 |
| MK-06-05 | 14.33 | 15.85 | 1.52 | 2.82 |
| MK-06-05 | 33.22 | 41.15 | 7.93 | 0.56 |
| MK-06-05 | 62.79 | 64.01 | 1.22 | 0.70 |
| MK-06-05 | 73.61 | 79.86 | 6.25 | 0.32 |
| MK-06-05 | 82.60 | 84.12 | 1.52 | 0.33 |
| MK-06-05 | 101.19 | 104.24 | 3.05 | 1.04 |
| MK-06-05 | 113.08 | 116.74 | 3.66 | 0.58 |
| MK-06-05 | 120.70 | 121.92 | 1.22 | 0.25 |
| MK-06-05 | 132.89 | 134.11 | 1.22 | 0.26 |
| MK-06-05 | 136.55 | 137.77 | 1.22 | 0.49 |
| MK-06-05 | 147.19 | 149.66 | 2.47 | 0.64 |
| MK-06-05 | 157.28 | 158.19 | 0.91 | 0.56 |
| MK-06-05 | 165.51 | 166.73 | 1.22 | 0.29 |
| MK-06-05 | 168.86 | 169.16 | 0.30 | 1.33 |
| MK-06-05 | 177.33 | 177.70 | 0.37 | 1.31 |
| MK-06-05 | 208.57 | 208.76 | 0.19 | 1.59 |
| MK-06-05 | 232.14 | 232.32 | 0.18 | 0.73 |
| MK-06-05 | 243.90 | 244.51 | 0.61 | 0.32 |
| MK-06-05 | 254.20 | 254.48 | 0.28 | 1.21 |
| MK-06-05 | 259.20 | 259.69 | 0.49 | 1.16 |
| MK-06-05 | 263.96 | 266.00 | 2.04 | 1.25 |
| MK-06-05 | 271.15 | 274.29 | 3.14 | 0.76 |
| MK-06-05 | 276.97 | 277.25 | 0.28 | 0.36 |
| MK-06-05 | 284.68 | 284.99 | 0.31 | 0.30 |
| MK-06-06 | 0.98 | 4.36 | 3.38 | 0.84 |
| MK-06-06 | 72.85 | 78.33 | 5.48 | 0.68 |
| MK-06-06 | 81.08 | 83.21 | 2.13 | 0.34 |
| MK-06-06 | 91.44 | 92.05 | 0.61 | 0.56 |
| MK-06-06 | 95.71 | 96.47 | 0.76 | 0.42 |
| MK-06-06 | 101.32 | 103.33 | 2.01 | 0.97 |
| MK-06-06 | 145.08 | 145.39 | 0.31 | 0.39 |
| MK-06-06 | 180.44 | 181.84 | 1.40 | 0.99 |
| MK-06-06 | 186.84 | 187.30 | 0.46 | 0.28 |
| MK-06-07 | 1.83 | 3.35 | 1.52 | 0.50 |
| MK-06-07 | 9.02 | 18.11 | 9.09 | 0.46 |

| HoleID | From_m | To_m | Length_m | g/t_Au |
|----------|--------|--------|----------|--------|
| MK-06-07 | 21.34 | 22.86 | 1.52 | 0.30 |
| MK-06-07 | 26.94 | 28.04 | 1.10 | 0.26 |
| MK-06-07 | 31.39 | 34.38 | 2.99 | 0.48 |
| MK-06-07 | 45.26 | 46.63 | 1.37 | 1.17 |
| MK-06-07 | 52.12 | 52.73 | 0.61 | 0.68 |
| MK-06-07 | 60.96 | 63.09 | 2.13 | 0.57 |
| MK-06-07 | 69.80 | 71.23 | 1.43 | 0.71 |
| MK-06-07 | 78.94 | 79.86 | 0.92 | 5.59 |
| MK-06-07 | 89.61 | 93.57 | 3.96 | 2.60 |
| MK-06-07 | 97.84 | 103.33 | 5.49 | 0.69 |
| MK-06-07 | 110.86 | 114.00 | 3.14 | 0.40 |
| MK-06-07 | 115.67 | 116.62 | 0.95 | 0.25 |
| MK-06-07 | 123.90 | 157.89 | 33.99 | 1.50 |
| MK-06-07 | 160.78 | 216.10 | 55.32 | 1.79 |
| MK-06-07 | 217.93 | 218.54 | 0.61 | 0.31 |
| MK-06-07 | 227.08 | 228.08 | 1.00 | 0.30 |
| MK-06-08 | 0.91 | 2.13 | 1.22 | 0.29 |
| MK-06-08 | 6.71 | 7.16 | 0.45 | 0.29 |
| MK-06-08 | 26.82 | 27.13 | 0.31 | 1.29 |
| MK-06-08 | 36.58 | 38.40 | 1.82 | 3.24 |
| MK-06-08 | 54.56 | 55.47 | 0.91 | 0.52 |
| MK-06-08 | 76.20 | 78.79 | 2.59 | 0.48 |
| MK-06-08 | 90.07 | 91.14 | 1.07 | 1.25 |
| MK-06-08 | 128.17 | 129.39 | 1.22 | 0.80 |
| MK-06-08 | 157.28 | 157.89 | 0.61 | 0.26 |
| MK-06-08 | 159.41 | 167.34 | 7.93 | 0.74 |
| MK-06-08 | 172.82 | 173.19 | 0.37 | 0.33 |
| MK-06-08 | 179.22 | 179.53 | 0.31 | 0.42 |
| MK-06-08 | 200.25 | 201.17 | 0.92 | 0.39 |
| MK-06-08 | 206.75 | 207.11 | 0.36 | 5.55 |
| MK-06-08 | 243.38 | 243.84 | 0.46 | 3.77 |
| MK-06-08 | 258.47 | 264.26 | 5.79 | 0.86 |
| MK-06-08 | 269.75 | 287.43 | 17.68 | 0.60 |
| MK-07-12 | 0.00 | 4.27 | 4.27 | 0.58 |
| MK-07-12 | 68.85 | 74.90 | 6.05 | 0.74 |
| MK-07-12 | 79.06 | 82.42 | 3.36 | 3.75 |
| MK-07-12 | 86.11 | 91.07 | 4.96 | 0.78 |
| MK-07-12 | 101.13 | 103.45 | 2.32 | 0.51 |
| MK-07-12 | 109.90 | 119.89 | 9.99 | 1.49 |
| MK-07-13 | 10.23 | 16.75 | 6.52 | 1.26 |
| MK-07-13 | 77.60 | 91.44 | 13.84 | 0.48 |
| MK-07-13 | 97.76 | 120.09 | 22.33 | 0.79 |
| MK-07-13 | 124.90 | 139.45 | 14.55 | 0.85 |
| MK-07-13 | 150.57 | 153.00 | 2.43 | 0.52 |
| MK-07-13 | 162.75 | 168.10 | 5.35 | 0.50 |
| MK-07-13 | 200.30 | 204.35 | 4.05 | 0.87 |
| MK-07-13 | 228.90 | 235.50 | 6.60 | 0.43 |
| MK-07-13 | 250.50 | 329.79 | 79.29 | 0.53 |
| MK-07-14 | 3.66 | 8.60 | 4.94 | 0.50 |
| MK-07-14 | 34.75 | 44.81 | 10.06 | 0.62 |

| HoleID | From_m | To_m | Length_m | g/t_Au |
|----------|--------|--------|----------|--------|
| MK-07-15 | 4.72 | 15.85 | 11.13 | 0.33 |
| MK-07-15 | 32.77 | 61.20 | 28.43 | 1.66 |
| MK-07-15 | 79.90 | 151.33 | 71.43 | 0.99 |
| MK-07-15 | 156.06 | 158.50 | 2.44 | 0.49 |
| MK-07-15 | 225.10 | 227.99 | 2.89 | 0.80 |
| MK-07-15 | 243.00 | 243.60 | 0.60 | 1.20 |
| MK-07-16 | 32.00 | 33.26 | 1.26 | 0.73 |
| MK-07-16 | 40.10 | 46.50 | 6.40 | 0.85 |
| MK-07-16 | 70.87 | 72.00 | 1.13 | 1.03 |
| MK-07-16 | 103.70 | 107.90 | 4.20 | 0.44 |
| MK-07-16 | 166.27 | 170.88 | 4.61 | 0.45 |
| MK-07-16 | 175.50 | 176.48 | 0.98 | 0.47 |
| MK-07-16 | 188.27 | 195.20 | 6.93 | 1.15 |
| MK-07-16 | 200.12 | 202.84 | 2.72 | 1.17 |
| MK-07-16 | 234.39 | 239.30 | 4.91 | 0.60 |
| MK-07-16 | 242.48 | 244.30 | 1.82 | 0.67 |
| MK-07-16 | 249.07 | 249.63 | 0.56 | 0.66 |
| MK-07-16 | 252.84 | 258.42 | 5.58 | 0.64 |
| MK-07-16 | 315.30 | 319.16 | 3.86 | 0.68 |
| MK-07-16 | 325.68 | 332.84 | 7.16 | 0.66 |
| MK-07-17 | 17.83 | 19.05 | 1.22 | 1.36 |
| MK-07-17 | 41.80 | 43.40 | 1.60 | 0.50 |
| MK-07-17 | 49.07 | 54.35 | 5.28 | 0.53 |
| MK-07-17 | 57.20 | 58.40 | 1.20 | 0.55 |
| MK-07-17 | 65.75 | 67.45 | 1.70 | 0.56 |
| MK-07-17 | 103.10 | 104.48 | 1.38 | 0.89 |
| MK-07-17 | 117.60 | 154.60 | 37.00 | 0.82 |
| MK-07-17 | 159.55 | 160.84 | 1.29 | 0.49 |
| MK-07-17 | 168.86 | 181.40 | 12.54 | 0.45 |
| MK-07-17 | 185.26 | 186.95 | 1.69 | 0.48 |
| MK-07-17 | 206.20 | 207.76 | 1.56 | 0.72 |
| MK-07-17 | 214.10 | 215.38 | 1.28 | 0.55 |
| MK-07-17 | 242.94 | 246.75 | 3.81 | 0.50 |
| MK-07-17 | 255.65 | 257.25 | 1.60 | 0.49 |
| MK-07-17 | 341.07 | 341.45 | 0.38 | 7.18 |
| MK-07-17 | 376.80 | 378.12 | 1.32 | 0.49 |
| MK-07-17 | 386.79 | 393.50 | 6.71 | 0.49 |
| MK-07-18 | 0.00 | 8.75 | 8.75 | 0.46 |
| MK-07-18 | 13.80 | 20.42 | 6.62 | 1.22 |
| MK-07-18 | 36.47 | 37.65 | 1.18 | 0.36 |
| MK-07-18 | 42.06 | 47.53 | 5.47 | 0.44 |
| MK-07-18 | 67.50 | 67.97 | 0.47 | 5.33 |
| MK-07-18 | 77.30 | 86.08 | 8.78 | 9.95 |
| MK-07-18 | 89.31 | 90.40 | 1.09 | 0.59 |
| MK-07-18 | 93.70 | 102.20 | 8.50 | 9.64 |
| MK-07-18 | 111.57 | 112.24 | 0.67 | 0.60 |
| MK-07-18 | 121.31 | 199.87 | 78.56 | 1.09 |
| MK-07-18 | 245.35 | 255.70 | 10.35 | 0.67 |
| MK-07-18 | 298.42 | 298.83 | 0.41 | 0.69 |
| MK-07-19 | 19.88 | 26.60 | 6.72 | 0.51 |

| HoleID | From_m | To_m | Length_m | g/t_Au |
|----------|--------|--------|----------|--------|
| MK-07-19 | 32.24 | 40.23 | 7.99 | 0.55 |
| MK-07-19 | 45.50 | 52.95 | 7.45 | 1.49 |
| MK-07-19 | 64.31 | 66.53 | 2.22 | 0.50 |
| MK-07-19 | 71.32 | 78.00 | 6.68 | 1.24 |
| MK-07-19 | 81.40 | 82.10 | 0.70 | 0.57 |
| MK-07-19 | 88.70 | 92.60 | 3.90 | 0.84 |
| MK-07-19 | 114.91 | 116.80 | 1.89 | 1.10 |
| MK-07-19 | 119.25 | 133.24 | 13.99 | 0.48 |
| MK-07-19 | 142.95 | 147.80 | 4.85 | 1.06 |
| MK-07-19 | 169.57 | 170.20 | 0.63 | 0.57 |
| MK-07-19 | 175.75 | 179.10 | 3.35 | 0.61 |
| MK-07-19 | 179.45 | 188.06 | 8.61 | 0.55 |
| MK-07-19 | 189.40 | 200.00 | 10.60 | 0.54 |
| MK-07-19 | 211.00 | 214.40 | 3.40 | 0.57 |
| MK-07-19 | 224.03 | 225.55 | 1.52 | 0.52 |
| MK-07-19 | 241.10 | 243.92 | 2.82 | 0.45 |
| MK-07-19 | 276.90 | 280.48 | 3.58 | 0.54 |
| MK-07-19 | 285.28 | 295.40 | 10.12 | 0.57 |
| MK-07-19 | 316.43 | 316.75 | 0.32 | 0.59 |
| MK-07-19 | 331.73 | 361.00 | 29.27 | 0.60 |
| MK-07-19 | 373.34 | 379.20 | 5.86 | 0.60 |
| MK-07-20 | 18.89 | 20.40 | 1.51 | 1.32 |
| MK-07-20 | 22.70 | 37.19 | 14.49 | 0.42 |
| MK-07-20 | 40.15 | 40.69 | 0.54 | 0.66 |
| MK-07-20 | 42.06 | 59.14 | 17.08 | 1.07 |
| MK-07-20 | 70.74 | 89.00 | 18.26 | 0.67 |
| MK-07-20 | 96.37 | 101.30 | 4.93 | 0.56 |
| MK-07-20 | 102.73 | 103.67 | 0.94 | 0.57 |
| MK-07-20 | 116.90 | 119.80 | 2.90 | 0.48 |
| MK-07-20 | 127.10 | 185.06 | 57.96 | 1.19 |
| MK-07-20 | 190.11 | 195.07 | 4.96 | 0.75 |
| MK-07-20 | 196.00 | 210.56 | 14.56 | 0.81 |
| MK-07-21 | 4.57 | 10.90 | 6.33 | 2.43 |
| MK-07-21 | 15.95 | 17.57 | 1.62 | 0.55 |
| MK-07-21 | 24.60 | 36.60 | 12.00 | 0.38 |
| MK-07-21 | 40.54 | 41.54 | 1.00 | 2.37 |
| MK-07-21 | 44.40 | 46.54 | 2.14 | 1.20 |
| MK-07-21 | 50.54 | 52.03 | 1.49 | 0.51 |
| MK-07-21 | 57.05 | 61.91 | 4.86 | 1.18 |
| MK-07-21 | 65.20 | 68.32 | 3.12 | 0.71 |
| MK-07-21 | 113.06 | 114.24 | 1.18 | 0.46 |
| MK-07-21 | 135.00 | 150.95 | 15.95 | 1.08 |
| MK-07-21 | 155.55 | 161.95 | 6.40 | 0.52 |
| MK-07-21 | 165.51 | 178.10 | 12.59 | 0.71 |
| MK-07-21 | 181.70 | 183.04 | 1.34 | 0.44 |
| MK-07-21 | 185.01 | 198.42 | 13.41 | 0.54 |
| MK-07-21 | 208.00 | 215.17 | 7.17 | 0.31 |
| MK-07-21 | 218.31 | 219.46 | 1.15 | 0.55 |
| MK-07-21 | 227.69 | 227.80 | 0.11 | 0.50 |
| MK-07-21 | 234.30 | 238.35 | 4.05 | 0.47 |

| HoleID | From_m | To_m | Length_m | g/t_Au |
|----------|--------|--------|----------|--------|
| MK-07-21 | 246.50 | 249.44 | 2.94 | 0.82 |
| MK-07-21 | 253.58 | 281.06 | 27.48 | 0.61 |
| MK-07-22 | 18.30 | 19.40 | 1.10 | 1.05 |
| MK-07-22 | 23.70 | 27.55 | 3.85 | 0.59 |
| MK-07-22 | 31.30 | 34.37 | 3.07 | 0.44 |
| MK-07-22 | 37.10 | 37.60 | 0.50 | 0.74 |
| MK-07-22 | 67.40 | 73.50 | 6.10 | 2.35 |
| MK-07-22 | 79.60 | 111.75 | 32.15 | 0.75 |
| MK-07-22 | 122.18 | 122.44 | 0.26 | 0.80 |
| MK-07-22 | 128.65 | 137.88 | 9.23 | 0.47 |
| MK-07-22 | 142.75 | 145.13 | 2.38 | 2.94 |
| MK-07-22 | 151.69 | 154.84 | 3.15 | 1.23 |
| MK-07-22 | 165.24 | 177.20 | 11.96 | 0.65 |
| MK-07-22 | 185.25 | 186.65 | 1.40 | 0.41 |
| MK-07-22 | 282.32 | 284.60 | 2.28 | 0.63 |
| MK-07-22 | 291.67 | 292.46 | 0.79 | 0.40 |
| MK-07-22 | 296.62 | 305.10 | 8.48 | 0.55 |
| MK-07-22 | 310.34 | 363.20 | 52.86 | 0.60 |
| MK-07-23 | 0.00 | 12.67 | 12.67 | 0.41 |
| MK-07-23 | 24.07 | 25.00 | 0.93 | 1.63 |
| MK-07-23 | 32.20 | 41.12 | 8.92 | 0.65 |
| MK-07-23 | 45.37 | 47.10 | 1.73 | 0.69 |
| MK-07-23 | 52.13 | 53.55 | 1.42 | 0.59 |
| MK-07-23 | 61.56 | 72.07 | 10.51 | 0.36 |
| MK-07-23 | 75.68 | 79.00 | 3.32 | 3.61 |
| MK-07-23 | 92.76 | 93.66 | 0.90 | 0.87 |
| MK-07-23 | 97.12 | 97.62 | 0.50 | 4.45 |
| MK-07-23 | 101.07 | 104.20 | 3.13 | 2.00 |
| MK-07-23 | 120.32 | 121.60 | 1.28 | 0.46 |
| MK-07-23 | 126.40 | 155.52 | 29.12 | 0.65 |
| MK-07-23 | 164.09 | 170.78 | 6.69 | 0.75 |
| MK-07-23 | 174.80 | 179.43 | 4.63 | 0.57 |
| MK-07-23 | 187.84 | 251.20 | 63.36 | 0.78 |
| MK-07-23 | 273.30 | 274.70 | 1.40 | 0.76 |
| MK-07-24 | 92.44 | 92.74 | 0.30 | 1.39 |
| MK-07-24 | 139.07 | 142.10 | 3.03 | 0.76 |
| MK-07-24 | 146.60 | 149.95 | 3.35 | 1.36 |
| MK-07-24 | 154.00 | 158.90 | 4.90 | 0.96 |
| MK-07-24 | 164.30 | 166.05 | 1.75 | 1.34 |
| MK-07-24 | 170.37 | 173.14 | 2.77 | 1.14 |
| MK-07-24 | 177.60 | 178.00 | 0.40 | 0.71 |
| MK-07-24 | 183.36 | 206.01 | 22.65 | 0.49 |
| MK-07-24 | 208.86 | 224.00 | 15.14 | 0.38 |
| MK-07-24 | 225.15 | 228.90 | 3.75 | 0.42 |
| MK-07-24 | 291.90 | 293.40 | 1.50 | 1.83 |
| MK-07-24 | 369.57 | 372.16 | 2.59 | 0.54 |
| MK-07-25 | 14.64 | 20.53 | 5.89 | 0.65 |
| MK-07-25 | 138.47 | 139.30 | 0.83 | 0.41 |
| MK-07-25 | 151.18 | 152.42 | 1.24 | 0.33 |
| MK-07-25 | 233.26 | 237.14 | 3.88 | 0.74 |

| HoleID | From_m | To_m | Length_m | g/t_Au |
|----------|--------|--------|----------|--------|
| MK-07-25 | 266.12 | 267.77 | 1.65 | 2.04 |
| MK-07-25 | 272.85 | 273.48 | 0.63 | 0.50 |
| MK-07-25 | 283.80 | 284.75 | 0.95 | 0.60 |
| MK-07-25 | 292.00 | 292.76 | 0.76 | 0.29 |
| MK-07-25 | 295.30 | 303.43 | 8.13 | 0.47 |
| MK-07-25 | 309.55 | 310.16 | 0.61 | 0.60 |
| MK-07-25 | 313.60 | 314.40 | 0.80 | 0.59 |
| MK-07-25 | 325.90 | 326.44 | 0.54 | 0.41 |
| MK-08-27 | 3.36 | 8.04 | 4.68 | 0.27 |
| MK-08-27 | 11.13 | 12.50 | 1.37 | 1.00 |
| MK-08-27 | 15.55 | 16.76 | 1.21 | 0.68 |
| MK-08-27 | 25.91 | 27.43 | 1.52 | 0.47 |
| MK-08-27 | 36.79 | 52.42 | 15.63 | 1.06 |
| MK-08-27 | 58.67 | 60.05 | 1.38 | 1.31 |
| MK-08-27 | 64.52 | 66.14 | 1.62 | 0.36 |
| MK-08-27 | 71.70 | 72.24 | 0.54 | 0.35 |
| MK-08-27 | 81.39 | 82.91 | 1.52 | 0.34 |
| MK-08-27 | 87.02 | 90.53 | 3.51 | 0.43 |
| MK-08-27 | 126.80 | 128.10 | 1.30 | 0.90 |
| MK-08-27 | 140.42 | 148.44 | 8.02 | 0.56 |
| MK-08-27 | 154.84 | 155.75 | 0.91 | 0.30 |
| MK-08-27 | 163.37 | 174.35 | 10.98 | 0.45 |
| MK-08-27 | 195.38 | 196.60 | 1.22 | 1.58 |
| MK-08-28 | 1.37 | 5.79 | 4.42 | 0.60 |
| MK-08-28 | 9.75 | 16.40 | 6.65 | 1.45 |
| MK-08-28 | 23.47 | 28.04 | 4.57 | 0.58 |
| MK-08-28 | 32.46 | 33.90 | 1.44 | 2.09 |
| MK-08-28 | 48.16 | 49.85 | 1.69 | 0.40 |
| MK-08-28 | 54.71 | 58.06 | 3.35 | 0.27 |
| MK-08-28 | 61.57 | 64.27 | 2.70 | 0.64 |
| MK-08-28 | 67.00 | 73.40 | 6.40 | 0.56 |
| MK-08-28 | 77.30 | 86.10 | 8.80 | 0.80 |
| MK-08-28 | 87.33 | 88.39 | 1.06 | 0.31 |
| MK-08-28 | 92.05 | 97.54 | 5.49 | 0.45 |
| MK-08-28 | 100.25 | 117.53 | 17.28 | 0.67 |
| MK-08-28 | 125.37 | 129.23 | 3.86 | 1.50 |
| MK-08-28 | 133.40 | 134.60 | 1.20 | 3.98 |
| MK-08-28 | 143.87 | 146.91 | 3.04 | 1.71 |
| MK-08-28 | 154.23 | 160.33 | 6.10 | 1.11 |
| MK-08-28 | 163.37 | 164.90 | 1.53 | 0.30 |
| MK-08-28 | 169.12 | 170.33 | 1.21 | 1.50 |
| MK-08-28 | 179.30 | 182.20 | 2.90 | 0.28 |
| MK-08-28 | 188.26 | 202.80 | 14.54 | 0.95 |
| MK-08-28 | 209.00 | 213.67 | 4.67 | 1.01 |
| MK-08-28 | 221.59 | 223.00 | 1.41 | 0.95 |
| MK-08-29 | 8.70 | 9.80 | 1.10 | 1.07 |
| MK-08-29 | 42.67 | 45.20 | 2.53 | 0.33 |
| MK-08-29 | 61.26 | 61.76 | 0.50 | 2.78 |
| MK-08-29 | 82.85 | 84.52 | 1.67 | 0.46 |
| MK-08-29 | 87.77 | 88.49 | 0.72 | 0.29 |

| HoleID | From_m | To_m | Length_m | g/t_Au |
|------------|--------|--------|----------|--------|
| MK-08-29 | 91.12 | 93.96 | 2.84 | 0.33 |
| MK-08-29 | 94.49 | 99.76 | 5.27 | 0.61 |
| MK-08-29 | 116.62 | 118.87 | 2.25 | 0.71 |
| MK-08-29 | 125.73 | 128.67 | 2.94 | 0.70 |
| MK-08-29 | 149.35 | 154.78 | 5.43 | 1.67 |
| MK-08-30 | 0.00 | 5.49 | 5.49 | 0.44 |
| MK-08-30 | 9.30 | 10.50 | 1.20 | 0.26 |
| MK-08-30 | 13.51 | 19.60 | 6.09 | 1.24 |
| MK-08-30 | 22.95 | 35.97 | 13.02 | 0.66 |
| MK-08-30 | 44.60 | 48.86 | 4.26 | 0.91 |
| MK-08-30 | 52.73 | 61.87 | 9.14 | 3.53 |
| MK-08-30 | 68.77 | 82.19 | 13.42 | 2.31 |
| MK-08-30 | 86.26 | 92.05 | 5.79 | 3.06 |
| MK-08-30 | 96.32 | 100.89 | 4.57 | 0.83 |
| MK-08-30 | 109.12 | 112.17 | 3.05 | 0.68 |
| MK-08-30 | 127.90 | 183.79 | 55.89 | 1.05 |
| MK-08-30 | 187.60 | 187.90 | 0.30 | 1.17 |
| MK-08-30 | 201.83 | 203.91 | 2.08 | 0.41 |
| MK-08-30 | 237.13 | 238.66 | 1.53 | 0.26 |
| MK-08-30 | 253.17 | 255.42 | 2.25 | 0.79 |
| MK-08-30 | 256.85 | 259.72 | 2.87 | 3.95 |
| MK-08-30 | 264.57 | 266.09 | 1.52 | 0.36 |
| MK-08-30 | 270.66 | 276.76 | 6.10 | 0.82 |
| MK-08-30 | 281.33 | 282.85 | 1.52 | 0.44 |
| MK-08-30 | 292.00 | 299.62 | 7.62 | 1.18 |
| MK-08-30 | 302.40 | 302.97 | 0.57 | 0.79 |
| MK-08-30 | 323.52 | 324.35 | 0.83 | 0.76 |
| MK-08-30 | 333.09 | 333.45 | 0.36 | 0.61 |
| MK-08-TR01 | 0.00 | 16.61 | 16.61 | 0.64 |
| MK-08-TR01 | 21.18 | 21.34 | 0.16 | 0.56 |
| MK-08-TR02 | 0.00 | 18.29 | 18.29 | 0.90 |
| MK-08-TR02 | 21.95 | 28.04 | 6.09 | 0.44 |
| MK-2 | 45.00 | 65.00 | 20.00 | 0.70 |
| MK-3 | 0.00 | 6.10 | 6.10 | 0.39 |
| MK-4 | 6.10 | 7.62 | 1.52 | 1.52 |
| MK-4 | 10.67 | 13.72 | 3.05 | 0.42 |
| MK-4B | 3.05 | 10.67 | 7.62 | 1.19 |
| MK-4B | 21.34 | 22.86 | 1.52 | 0.96 |
| MK-4B | 25.91 | 32.00 | 6.09 | 0.41 |
| MK-4B | 35.05 | 48.77 | 13.72 | 0.68 |
| MK-4B | 60.96 | 73.15 | 12.19 | 0.39 |
| MK-4B | 85.34 | 91.44 | 6.10 | 0.33 |
| MK-4B | 97.54 | 106.68 | 9.14 | 0.50 |
| MK-RC-0001 | 0.00 | 3.05 | 3.05 | 0.38 |
| MK-RC-0001 | 10.67 | 15.24 | 4.57 | 0.77 |
| MK-RC-0001 | 21.34 | 25.91 | 4.57 | 0.79 |
| MK-RC-0001 | 59.44 | 60.96 | 1.52 | 1.44 |
| MK-RC-0001 | 67.06 | 76.20 | 9.14 | 0.72 |
| MK-RC-0001 | 85.34 | 86.87 | 1.53 | 0.25 |
| MK-RC-0001 | 92.96 | 99.06 | 6.10 | 0.25 |

| HoleID | From_m | To_m | Length_m | g/t_Au |
|------------|--------|--------|----------|--------|
| MK-RC-0001 | 109.73 | 111.25 | 1.52 | 2.45 |
| MK-RC-0001 | 134.11 | 135.64 | 1.53 | 0.29 |
| MK-RC-0001 | 138.68 | 204.22 | 65.54 | 1.56 |
| MK-RC-0001 | 213.36 | 214.88 | 1.52 | 0.56 |
| MK-RC-0001 | 231.65 | 233.17 | 1.52 | 0.34 |
| MK-RC-0001 | 251.46 | 254.51 | 3.05 | 0.58 |
| MK-RC-0001 | 260.60 | 269.75 | 9.15 | 0.69 |
| MK-RC-0001 | 281.94 | 284.99 | 3.05 | 0.65 |
| MK-RC-0001 | 310.90 | 313.94 | 3.04 | 0.62 |
| MK-RC-0001 | 320.04 | 321.56 | 1.52 | 0.30 |
| MK-RC-0002 | 0.00 | 10.67 | 10.67 | 0.48 |
| MK-RC-0002 | 19.81 | 21.34 | 1.53 | 0.33 |
| MK-RC-0002 | 45.72 | 53.34 | 7.62 | 0.40 |
| MK-RC-0002 | 108.20 | 109.73 | 1.53 | 3.51 |
| MK-RC-0002 | 120.40 | 121.92 | 1.52 | 0.46 |
| MK-RC-0002 | 134.11 | 149.35 | 15.24 | 2.20 |
| MK-RC-0002 | 153.92 | 167.64 | 13.72 | 1.38 |
| MK-RC-0002 | 187.45 | 192.02 | 4.57 | 0.87 |
| MK-RC-0002 | 198.12 | 199.64 | 1.52 | 2.16 |
| MK-RC-0002 | 208.79 | 210.31 | 1.52 | 0.26 |
| MK-RC-0002 | 213.36 | 219.46 | 6.10 | 0.33 |
| MK-RC-0002 | 249.94 | 251.46 | 1.52 | 0.28 |
| MK-RC-0002 | 263.65 | 265.18 | 1.53 | 1.10 |
| MK-RC-0002 | 271.27 | 333.76 | 62.49 | 0.60 |
| MK-RC-0003 | 3.05 | 4.57 | 1.52 | 0.37 |
| MK-RC-0003 | 12.19 | 15.24 | 3.05 | 0.55 |
| MK-RC-0003 | 39.62 | 53.34 | 13.72 | 0.29 |
| MK-RC-0003 | 67.06 | 68.58 | 1.52 | 0.25 |
| MK-RC-0003 | 73.15 | 79.25 | 6.10 | 0.42 |
| MK-RC-0003 | 88.39 | 89.92 | 1.53 | 0.28 |
| MK-RC-0003 | 96.01 | 97.54 | 1.53 | 0.93 |
| MK-RC-0003 | 115.82 | 140.21 | 24.39 | 0.62 |
| MK-RC-0003 | 146.30 | 147.83 | 1.53 | 0.49 |
| MK-RC-0003 | 158.50 | 163.07 | 4.57 | 0.43 |
| MK-RC-0003 | 176.78 | 178.31 | 1.53 | 0.34 |
| MK-RC-0003 | 185.93 | 187.45 | 1.52 | 0.25 |
| MK-RC-0003 | 210.31 | 211.84 | 1.53 | 0.27 |
| MK-RC-0003 | 214.88 | 216.41 | 1.53 | 0.31 |
| MK-RC-0004 | 0.00 | 62.48 | 62.48 | 0.47 |
| MK-RC-0004 | 71.63 | 85.34 | 13.71 | 0.75 |
| MK-RC-0004 | 88.39 | 89.92 | 1.53 | 0.27 |
| MK-RC-0004 | 92.96 | 97.54 | 4.58 | 0.41 |
| MK-RC-0004 | 102.11 | 108.20 | 6.09 | 0.83 |
| MK-RC-0004 | 112.78 | 132.59 | 19.81 | 0.82 |
| MK-RC-0004 | 153.92 | 160.02 | 6.10 | 0.72 |
| MK-RC-0004 | 164.59 | 166.12 | 1.53 | 0.32 |
| MK-RC-0004 | 172.21 | 184.40 | 12.19 | 0.40 |
| MK-RC-0004 | 188.98 | 190.50 | 1.52 | 0.25 |
| MK-RC-0004 | 195.07 | 196.60 | 1.53 | 0.29 |
| MK-RC-0004 | 201.17 | 202.69 | 1.52 | 0.65 |

| HoleID | From_m | To_m | Length_m | g/t_Au |
|------------|--------|--------|----------|--------|
| MK-RC-0004 | 210.31 | 217.93 | 7.62 | 0.78 |
| MK-RC-0004 | 233.17 | 234.70 | 1.53 | 0.30 |
| MK-RC-0004 | 237.74 | 240.79 | 3.05 | 0.43 |
| MK-RC-0004 | 254.51 | 259.08 | 4.57 | 0.53 |
| MK-RC-0004 | 272.80 | 274.32 | 1.52 | 0.25 |
| MK-RC-0005 | 1.52 | 33.53 | 32.01 | 1.63 |
| MK-RC-0005 | 57.91 | 59.44 | 1.53 | 0.69 |
| MK-RC-0005 | 79.25 | 80.77 | 1.52 | 0.43 |
| MK-RC-0005 | 86.87 | 89.92 | 3.05 | 0.27 |
| MK-RC-0005 | 172.21 | 173.74 | 1.53 | 0.30 |
| MK-RC-0005 | 187.45 | 192.02 | 4.57 | 0.65 |
| MK-RC-0005 | 208.79 | 210.31 | 1.52 | 0.33 |
| MK-RC-0005 | 211.84 | 216.41 | 4.57 | 0.32 |
| MK-RC-0005 | 224.03 | 234.70 | 10.67 | 0.70 |
| MK-RC-0006 | 3.05 | 4.57 | 1.52 | 1.47 |
| MK-RC-0006 | 15.24 | 35.05 | 19.81 | 0.98 |
| MK-RC-0006 | 39.62 | 56.39 | 16.77 | 0.49 |
| MK-RC-0006 | 59.44 | 62.48 | 3.04 | 0.40 |
| MK-RC-0006 | 68.58 | 80.77 | 12.19 | 0.74 |
| MK-RC-0006 | 85.34 | 89.92 | 4.58 | 1.25 |
| MK-RC-0006 | 96.01 | 106.68 | 10.67 | 0.73 |
| MK-RC-0006 | 114.30 | 115.82 | 1.52 | 2.37 |
| MK-RC-0006 | 120.40 | 121.92 | 1.52 | 0.26 |
| MK-RC-0006 | 126.49 | 128.02 | 1.53 | 0.26 |
| MK-RC-0006 | 137.16 | 140.21 | 3.05 | 0.34 |
| MK-RC-0006 | 192.02 | 193.55 | 1.53 | 0.29 |
| MK-RC-0006 | 198.12 | 202.69 | 4.57 | 0.42 |
| MK-RC-0006 | 214.88 | 259.08 | 44.20 | 0.67 |
| MK-RC-0006 | 268.22 | 271.27 | 3.05 | 0.30 |
| MK-RC-0006 | 281.94 | 284.99 | 3.05 | 0.69 |
| MK-RC-0006 | 289.56 | 315.47 | 25.91 | 0.62 |
| MK-RC-0006 | 330.71 | 350.52 | 19.81 | 0.81 |
| MK-RC-0007 | 0 | 10.67 | 10.67 | 0.73 |
| MK-RC-0007 | 19.81 | 21.34 | 1.53 | 0.36 |
| MK-RC-0007 | 25.91 | 71.63 | 45.72 | 1.43 |
| MK-RC-0007 | 79.25 | 83.82 | 4.57 | 0.70 |
| MK-RC-0007 | 91.44 | 99.06 | 7.62 | 0.41 |
| MK-RC-0007 | 111.25 | 112.78 | 1.53 | 0.28 |
| MK-RC-0007 | 128.02 | 187.45 | 59.43 | 1.96 |
| MK-RC-0007 | 192.02 | 196.60 | 4.58 | 0.25 |
| MK-RC-0007 | 201.17 | 204.22 | 3.05 | 0.30 |
| MK-RC-0007 | 216.41 | 224.03 | 7.62 | 0.56 |
| MK-RC-0007 | 230.12 | 233.17 | 3.05 | 0.42 |
| MK-RC-0007 | 249.94 | 254.51 | 4.57 | 0.72 |
| MK-RC-0007 | 275.84 | 281.94 | 6.10 | 0.44 |
| MK-RC-0008 | 1.52 | 4.57 | 3.05 | 0.33 |
| MK-RC-0008 | 10.67 | 210.31 | 199.64 | 1.44 |
| MK-RC-0009 | 0.00 | 9.14 | 9.14 | 0.35 |
| MK-RC-0009 | 18.29 | 19.81 | 1.52 | 0.62 |
| MK-RC-0009 | 24.38 | 25.91 | 1.53 | 0.87 |

| HoleID | From_m | To_m | Length_m | g/t_Au |
|------------|--------|--------|----------|--------|
| MK-RC-0009 | 28.96 | 30.48 | 1.52 | 0.61 |
| MK-RC-0009 | 35.05 | 36.58 | 1.53 | 1.10 |
| MK-RC-0009 | 42.67 | 44.20 | 1.53 | 0.37 |
| MK-RC-0009 | 47.24 | 57.91 | 10.67 | 0.39 |
| MK-RC-0009 | 62.48 | 100.58 | 38.10 | 0.58 |
| MK-RC-0009 | 109.73 | 128.02 | 18.29 | 0.72 |
| MK-RC-0009 | 144.78 | 149.35 | 4.57 | 1.09 |
| MK-RC-0009 | 155.45 | 164.59 | 9.14 | 0.49 |
| MK-RC-0009 | 170.69 | 193.55 | 22.86 | 0.54 |
| MK-RC-0009 | 198.12 | 199.64 | 1.52 | 0.25 |
| MK-RC-0009 | 231.65 | 245.36 | 13.71 | 0.58 |
| MK-RC-0010 | 6.10 | 7.62 | 1.52 | 0.27 |
| MK-RC-0010 | 16.76 | 18.29 | 1.53 | 0.26 |
| MK-RC-0010 | 42.67 | 44.20 | 1.53 | 0.35 |
| MK-RC-0010 | 60.96 | 65.53 | 4.57 | 0.72 |
| MK-RC-0010 | 71.63 | 73.15 | 1.52 | 0.26 |
| MK-RC-0010 | 115.82 | 118.87 | 3.05 | 1.54 |
| MK-RC-0010 | 123.44 | 126.49 | 3.05 | 0.65 |
| MK-RC-0010 | 131.06 | 138.68 | 7.62 | 0.60 |
| MK-RC-0010 | 146.30 | 172.21 | 25.91 | 0.78 |
| MK-RC-0010 | 178.31 | 179.83 | 1.52 | 1.63 |
| MK-RC-0010 | 184.40 | 185.93 | 1.53 | 0.83 |
| MK-RC-0010 | 216.41 | 217.93 | 1.52 | 0.38 |
| MK-RC-0010 | 224.03 | 225.55 | 1.52 | 0.46 |
| MK-RC-0011 | 7.62 | 36.58 | 28.96 | 0.44 |
| MK-RC-0011 | 41.15 | 42.67 | 1.52 | 0.44 |
| MK-RC-0011 | 47.24 | 48.77 | 1.53 | 0.46 |
| MK-RC-0011 | 53.34 | 60.96 | 7.62 | 1.61 |
| MK-RC-0011 | 65.53 | 205.74 | 140.21 | 0.99 |
| MK-RC-0011 | 210.31 | 214.88 | 4.57 | 0.36 |
| MK-RC-0012 | 32.00 | 33.53 | 1.53 | 0.49 |
| MK-RC-0012 | 53.34 | 56.39 | 3.05 | 1.63 |
| MK-RC-0012 | 59.44 | 71.63 | 12.19 | 0.41 |
| MK-RC-0012 | 82.30 | 83.82 | 1.52 | 1.27 |
| MK-RC-0012 | 92.96 | 94.49 | 1.53 | 0.54 |
| MK-RC-0012 | 99.06 | 126.49 | 27.43 | 0.79 |
| MK-RC-0012 | 132.59 | 134.11 | 1.52 | 0.43 |
| MK-RC-0012 | 138.68 | 274.32 | 135.64 | 0.56 |
| MK-RC-0012 | 281.94 | 283.46 | 1.52 | 0.30 |
| MK-RC-0012 | 289.56 | 291.08 | 1.52 | 0.26 |
| MK-RC-0012 | 301.75 | 303.28 | 1.53 | 0.61 |
| MK-RC-0013 | 45.72 | 47.24 | 1.52 | 0.29 |
| MK-RC-0013 | 60.96 | 62.48 | 1.52 | 0.27 |
| MK-RC-0013 | 74.68 | 77.72 | 3.04 | 0.62 |
| MK-RC-0013 | 80.77 | 82.30 | 1.53 | 0.26 |
| MK-RC-0013 | 85.34 | 86.87 | 1.53 | 3.18 |
| MK-RC-0013 | 91.44 | 94.49 | 3.05 | 0.35 |
| MK-RC-0013 | 109.73 | 111.25 | 1.52 | 0.88 |
| MK-RC-0013 | 115.82 | 123.44 | 7.62 | 4.49 |
| MK-RC-0013 | 131.06 | 163.07 | 32.01 | 1.01 |

| HoleID | From_m | To_m | Length_m | g/t_Au |
|------------|--------|--------|----------|--------|
| MK-RC-0013 | 211.84 | 213.36 | 1.52 | 1.18 |
| MK-RC-0013 | 217.93 | 219.46 | 1.53 | 0.35 |
| MK-RC-0014 | 19.81 | 22.86 | 3.05 | 0.30 |
| MK-RC-0014 | 30.48 | 32.00 | 1.52 | 0.31 |
| MK-RC-0014 | 146.30 | 147.83 | 1.53 | 0.32 |
| MK-RC-0014 | 181.36 | 185.93 | 4.57 | 0.71 |
| MK-RC-0014 | 192.02 | 193.55 | 1.53 | 0.29 |
| MK-RC-0014 | 199.64 | 201.17 | 1.53 | 0.50 |
| MK-RC-0014 | 204.22 | 205.74 | 1.52 | 0.47 |
| MK-RC-0015 | 68.58 | 70.10 | 1.52 | 0.27 |
| MK-RC-0015 | 74.68 | 77.72 | 3.04 | 0.35 |
| MK-RC-0015 | 86.87 | 94.49 | 7.62 | 0.33 |
| MK-RC-0015 | 102.11 | 109.73 | 7.62 | 0.51 |
| MK-RC-0015 | 123.44 | 124.97 | 1.53 | 0.26 |
| MK-RC-0015 | 141.73 | 143.26 | 1.53 | 0.53 |
| MK-RC-0015 | 155.45 | 161.54 | 6.09 | 0.38 |
| MK-RC-0015 | 176.78 | 178.31 | 1.53 | 0.28 |
| MK-RC-0017 | 0.00 | 24.38 | 24.38 | 0.47 |
| MK-RC-0017 | 32.00 | 36.58 | 4.58 | 0.36 |
| MK-RC-0017 | 39.62 | 44.20 | 4.58 | 0.26 |
| MK-RC-0017 | 60.96 | 67.06 | 6.10 | 1.01 |
| MK-RC-0017 | 74.68 | 77.72 | 3.04 | 0.41 |
| MK-RC-0017 | 89.92 | 91.44 | 1.52 | 0.26 |
| MK-RC-0017 | 96.01 | 97.54 | 1.53 | 2.81 |
| MK-RC-0017 | 102.11 | 155.45 | 53.34 | 0.73 |
| MK-RC-0017 | 160.02 | 161.54 | 1.52 | 0.96 |
| MK-RC-0017 | 166.12 | 170.69 | 4.57 | 0.35 |
| MK-RC-0017 | 178.31 | 179.83 | 1.52 | 0.39 |
| MK-RC-0017 | 185.93 | 187.45 | 1.52 | 0.29 |
| MK-RC-0017 | 219.46 | 220.98 | 1.52 | 0.29 |
| MK-RC-0017 | 233.17 | 236.22 | 3.05 | 0.27 |
| MK-RC-0017 | 249.94 | 251.46 | 1.52 | 0.29 |
| MK-RC-0017 | 260.60 | 262.13 | 1.53 | 0.27 |
| MK-RC-0017 | 268.22 | 269.75 | 1.53 | 0.31 |
| MK-RC-0017 | 275.84 | 278.89 | 3.05 | 0.71 |
| MK-RC-0017 | 291.08 | 292.61 | 1.53 | 0.28 |
| MK-RC-0017 | 295.66 | 297.18 | 1.52 | 0.26 |
| MK-RC-0018 | 7.62 | 12.19 | 4.57 | 0.31 |
| MK-RC-0018 | 42.67 | 44.20 | 1.53 | 0.31 |
| MK-RC-0018 | 47.24 | 64.01 | 16.77 | 0.35 |
| MK-RC-0018 | 71.63 | 82.30 | 10.67 | 0.45 |
| MK-RC-0018 | 105.16 | 106.68 | 1.52 | 0.31 |
| MK-RC-0018 | 111.25 | 118.87 | 7.62 | 0.98 |
| MK-RC-0018 | 128.02 | 146.30 | 18.28 | 0.93 |
| MK-RC-0018 | 155.45 | 156.97 | 1.52 | 0.27 |
| MK-RC-0018 | 161.54 | 163.07 | 1.53 | 0.56 |
| MK-RC-0018 | 204.22 | 210.31 | 6.09 | 0.35 |
| MK-RC-0018 | 216.41 | 217.93 | 1.52 | 0.32 |
| MK-RC-0018 | 231.65 | 234.70 | 3.05 | 0.27 |
| MK-RC-0018 | 240.79 | 251.46 | 10.67 | 0.42 |

| HoleID | From_m | To_m | Length_m | g/t_Au |
|------------|--------|--------|----------|--------|
| MK-RC-0020 | 0.00 | 24.38 | 24.38 | 0.53 |
| MK-RC-0020 | 76.20 | 91.44 | 15.24 | 0.72 |
| MK-RC-0020 | 108.20 | 111.25 | 3.05 | 0.36 |
| MK-RC-0020 | 117.35 | 118.87 | 1.52 | 0.46 |
| MK-RC-0020 | 121.92 | 131.06 | 9.14 | 0.39 |
| MK-RC-0020 | 140.21 | 172.21 | 32.00 | 0.62 |
| MK-RC-0020 | 175.26 | 178.31 | 3.05 | 0.38 |
| MK-RC-0020 | 181.36 | 182.88 | 1.52 | 0.27 |
| MK-RC-0020 | 193.55 | 195.07 | 1.52 | 0.27 |
| MK-RC-0020 | 198.12 | 199.64 | 1.52 | 0.37 |
| MK-RC-0020 | 204.22 | 205.74 | 1.52 | 0.37 |
| MK-RC-0020 | 210.31 | 211.84 | 1.53 | 0.29 |
| MK-RC-0021 | 0.00 | 1.52 | 1.52 | 0.48 |
| MK-RC-0021 | 4.57 | 24.38 | 19.81 | 0.60 |
| MK-RC-0021 | 44.20 | 45.72 | 1.52 | 0.35 |
| MK-RC-0021 | 70.10 | 74.68 | 4.58 | 0.33 |
| MK-RC-0021 | 91.44 | 92.96 | 1.52 | 0.47 |
| MK-RC-0021 | 100.58 | 102.11 | 1.53 | 0.28 |
| MK-RC-0021 | 105.16 | 106.68 | 1.52 | 0.25 |
| MK-RC-0021 | 109.73 | 111.25 | 1.52 | 0.28 |
| MK-RC-0021 | 118.87 | 129.54 | 10.67 | 0.65 |
| MK-RC-0021 | 146.30 | 156.97 | 10.67 | 0.88 |
| MK-RC-0021 | 187.45 | 193.55 | 6.10 | 0.51 |
| MK-RC-0021 | 198.12 | 199.64 | 1.52 | 0.55 |
| MK-RC-0023 | 0.00 | 4.57 | 4.57 | 0.26 |
| MK-RC-0023 | 7.62 | 9.14 | 1.52 | 0.51 |
| MK-RC-0023 | 18.29 | 19.81 | 1.52 | 1.16 |
| MK-RC-0023 | 27.43 | 36.58 | 9.15 | 0.91 |
| MK-RC-0023 | 54.86 | 56.39 | 1.53 | 0.53 |
| MK-RC-0023 | 67.06 | 68.58 | 1.52 | 0.49 |
| MK-RC-0023 | 74.68 | 89.92 | 15.24 | 1.18 |
| MK-RC-0023 | 94.49 | 97.54 | 3.05 | 0.83 |
| MK-RC-0023 | 109.73 | 111.25 | 1.52 | 0.39 |
| MK-RC-0023 | 114.30 | 181.36 | 67.06 | 0.95 |
| MK-RC-0023 | 187.45 | 192.02 | 4.57 | 0.30 |
| MK-RC-0023 | 196.60 | 254.51 | 57.91 | 2.51 |
| MK-RC-0023 | 259.08 | 260.60 | 1.52 | 0.29 |
| MK-RC-0024 | 12.19 | 16.76 | 4.57 | 0.60 |
| MK-RC-0024 | 27.43 | 32.00 | 4.57 | 0.36 |
| MK-RC-0024 | 36.58 | 42.67 | 6.09 | 0.44 |
| MK-RC-0024 | 44.20 | 45.72 | 1.52 | 0.35 |
| MK-RC-0024 | 53.34 | 57.91 | 4.57 | 0.37 |
| MK-RC-0024 | 82.30 | 85.34 | 3.04 | 0.60 |
| MK-RC-0024 | 89.92 | 91.44 | 1.52 | 0.98 |
| MK-RC-0024 | 94.49 | 97.54 | 3.05 | 0.58 |
| MK-RC-0024 | 102.11 | 152.40 | 50.29 | 1.38 |
| MK-RC-0024 | 192.02 | 193.55 | 1.53 | 0.31 |
| MK-RC-0025 | 0.00 | 4.57 | 4.57 | 0.55 |
| MK-RC-0025 | 10.67 | 13.72 | 3.05 | 0.40 |
| MK-RC-0025 | 22.86 | 24.38 | 1.52 | 0.76 |

| HoleID | From_m | To_m | Length_m | g/t_Au |
|------------|--------|--------|----------|--------|
| MK-RC-0025 | 59.44 | 62.48 | 3.04 | 0.36 |
| MK-RC-0025 | 74.68 | 76.20 | 1.52 | 0.39 |
| MK-RC-0025 | 106.68 | 123.44 | 16.76 | 0.50 |
| MK-RC-0025 | 129.54 | 132.59 | 3.05 | 0.33 |
| MK-RC-0025 | 137.16 | 143.26 | 6.10 | 0.90 |
| MK-RC-0025 | 149.35 | 150.88 | 1.53 | 0.31 |
| MK-RC-0025 | 163.07 | 164.59 | 1.52 | 0.31 |
| MK-RC-0025 | 166.12 | 169.16 | 3.04 | 0.30 |
| MK-RC-0025 | 192.02 | 193.55 | 1.53 | 0.25 |
| MK-RC-0025 | 201.17 | 213.36 | 12.19 | 0.66 |
| MK-RC-0026 | 7.62 | 9.14 | 1.52 | 0.33 |
| MK-RC-0026 | 15.24 | 16.76 | 1.52 | 0.27 |
| MK-RC-0026 | 19.81 | 21.34 | 1.53 | 0.43 |
| MK-RC-0026 | 25.91 | 35.05 | 9.14 | 0.58 |
| MK-RC-0026 | 50.29 | 70.10 | 19.81 | 1.03 |
| MK-RC-0026 | 76.20 | 79.25 | 3.05 | 1.54 |
| MK-RC-0026 | 83.82 | 85.34 | 1.52 | 0.30 |
| MK-RC-0026 | 124.97 | 126.49 | 1.52 | 0.56 |
| MK-RC-0027 | 0.00 | 9.14 | 9.14 | 1.07 |
| MK-RC-0027 | 13.72 | 18.29 | 4.57 | 0.83 |
| MK-RC-0027 | 21.34 | 22.86 | 1.52 | 1.29 |
| MK-RC-0027 | 28.96 | 32.00 | 3.04 | 1.33 |
| MK-RC-0027 | 36.58 | 38.10 | 1.52 | 0.27 |
| MK-RC-0027 | 50.29 | 57.91 | 7.62 | 0.32 |
| MK-RC-0027 | 62.48 | 65.53 | 3.05 | 0.69 |
| MK-RC-0027 | 79.25 | 100.58 | 21.33 | 0.72 |
| MK-RC-0027 | 105.16 | 106.68 | 1.52 | 0.34 |
| MK-RC-0027 | 120.40 | 121.92 | 1.52 | 0.32 |
| MK-RC-0028 | 3.05 | 7.62 | 4.57 | 1.11 |
| MK-RC-0028 | 18.29 | 21.34 | 3.05 | 0.45 |
| MK-RC-0028 | 41.15 | 48.77 | 7.62 | 0.75 |
| MK-RC-0028 | 51.82 | 57.91 | 6.09 | 0.97 |
| MK-RC-0028 | 68.58 | 70.10 | 1.52 | 0.25 |
| MK-RC-0030 | 0.00 | 13.72 | 13.72 | 1.19 |
| MK-RC-0030 | 18.29 | 21.34 | 3.05 | 0.57 |
| MK-RC-0030 | 27.43 | 28.96 | 1.53 | 0.53 |
| MK-RC-0030 | 54.86 | 57.91 | 3.05 | 0.40 |
| MK-RC-0030 | 71.63 | 80.77 | 9.14 | 1.06 |
| MK-RC-0030 | 89.92 | 126.49 | 36.57 | 0.73 |
| MK-RC-0030 | 132.59 | 202.69 | 70.10 | 0.83 |
| MK-RC-0030 | 214.88 | 224.03 | 9.15 | 0.30 |
| MK-RC-0030 | 228.60 | 236.22 | 7.62 | 0.36 |
| MK-RC-0031 | 0.00 | 15.24 | 15.24 | 2.00 |
| MK-RC-0031 | 21.34 | 22.86 | 1.52 | 0.88 |
| MK-RC-0031 | 32.00 | 33.53 | 1.53 | 0.59 |
| MK-RC-0031 | 42.67 | 204.22 | 161.55 | 1.02 |
| MK-RC-0031 | 210.31 | 222.50 | 12.19 | 0.52 |
| MK-RC-0031 | 227.08 | 233.17 | 6.09 | 0.54 |
| MK-RC-0031 | 242.32 | 256.03 | 13.71 | 0.81 |
| MK-RC-0031 | 259.08 | 260.60 | 1.52 | 0.30 |

| HoleID | From_m | To_m | Length_m | g/t_Au |
|------------|--------|--------|----------|--------|
| MK-RC-0031 | 262.13 | 263.65 | 1.52 | 0.32 |
| MK-RC-0031 | 271.27 | 283.46 | 12.19 | 0.64 |
| MK-RC-0031 | 286.51 | 288.04 | 1.53 | 0.25 |
| MK-RC-0031 | 295.66 | 303.28 | 7.62 | 0.48 |
| MK-RC-0032 | 6.10 | 15.24 | 9.14 | 0.55 |
| MK-RC-0032 | 19.81 | 30.48 | 10.67 | 0.39 |
| MK-RC-0032 | 33.53 | 57.91 | 24.38 | 0.43 |
| MK-RC-0033 | 7.62 | 10.67 | 3.05 | 0.62 |
| MK-RC-0033 | 15.24 | 24.38 | 9.14 | 1.10 |
| MK-RC-0033 | 30.48 | 42.67 | 12.19 | 0.75 |
| MK-RC-0033 | 48.77 | 53.34 | 4.57 | 0.81 |
| MK-RC-0033 | 59.44 | 62.48 | 3.04 | 1.04 |
| MK-RC-0033 | 67.06 | 74.68 | 7.62 | 0.50 |
| MK-RC-0033 | 82.30 | 91.44 | 9.14 | 0.52 |
| MK-RC-0033 | 105.16 | 109.73 | 4.57 | 0.55 |
| MK-RC-0033 | 117.35 | 118.87 | 1.52 | 0.85 |
| MK-RC-0033 | 137.16 | 225.55 | 88.39 | 0.63 |
| MK-RC-0033 | 236.22 | 242.32 | 6.10 | 0.67 |
| MK-RC-0033 | 249.94 | 288.04 | 38.10 | 1.33 |
| MK-RC-0033 | 292.61 | 306.32 | 13.71 | 0.66 |
| MK-RC-0033 | 310.90 | 315.47 | 4.57 | 0.74 |
| MK-RC-0033 | 329.18 | 330.71 | 1.53 | 0.61 |
| MK-RC-0033 | 332.23 | 333.76 | 1.53 | 0.31 |
| MK-RC-0034 | 9.14 | 10.67 | 1.53 | 0.38 |
| MK-RC-0034 | 51.82 | 54.86 | 3.04 | 0.91 |
| MK-RC-0034 | 67.06 | 70.10 | 3.04 | 2.20 |
| MK-RC-0034 | 91.44 | 92.96 | 1.52 | 0.92 |
| MK-RC-0034 | 112.78 | 132.59 | 19.81 | 0.82 |
| MK-RC-0034 | 137.16 | 160.02 | 22.86 | 0.67 |
| MK-RC-0034 | 172.21 | 173.74 | 1.53 | 0.83 |
| MK-RC-0034 | 179.83 | 181.36 | 1.53 | 0.36 |
| MK-RC-0034 | 185.93 | 187.45 | 1.52 | 1.12 |
| MK-RC-0034 | 199.64 | 230.12 | 30.48 | 1.13 |
| MK-RC-0034 | 234.70 | 236.22 | 1.52 | 0.37 |
| MK-RC-0034 | 245.36 | 284.99 | 39.63 | 1.94 |
| MK-RC-0034 | 291.08 | 303.28 | 12.20 | 1.29 |
| MK-RC-0034 | 307.85 | 324.61 | 16.76 | 0.25 |
| MK-RC-0034 | 323.09 | 350.52 | 27.43 | 0.59 |
| MK-RC-0035 | 13.72 | 15.24 | 1.52 | 0.26 |
| MK-RC-0035 | 48.77 | 51.82 | 3.05 | 0.47 |
| MK-RC-0035 | 57.91 | 59.44 | 1.53 | 4.10 |
| MK-RC-0035 | 65.53 | 67.06 | 1.53 | 0.43 |
| MK-RC-0035 | 85.34 | 89.92 | 4.58 | 1.46 |
| MK-RC-0035 | 105.16 | 112.78 | 7.62 | 0.60 |
| MK-RC-0035 | 126.49 | 128.02 | 1.53 | 0.60 |
| MK-RC-0035 | 147.83 | 149.35 | 1.52 | 0.28 |
| MK-RC-0035 | 163.07 | 169.16 | 6.09 | 0.49 |
| MK-RC-0035 | 173.74 | 176.78 | 3.04 | 0.32 |
| MK-RC-0035 | 201.17 | 265.18 | 64.01 | 0.81 |
| MK-RC-0035 | 283.46 | 312.42 | 28.96 | 0.40 |

| HoleID | From_m | To_m | Length_m | g/t_Au |
|------------|--------|--------|----------|--------|
| MK-RC-0035 | 324.61 | 327.66 | 3.05 | 0.26 |
| MK-RC-0036 | 7.62 | 9.14 | 1.52 | 0.30 |
| MK-RC-0036 | 13.72 | 15.24 | 1.52 | 2.29 |
| MK-RC-0036 | 54.86 | 64.01 | 9.15 | 1.05 |
| MK-RC-0036 | 70.10 | 86.87 | 16.77 | 0.32 |
| MK-RC-0036 | 91.44 | 112.78 | 21.34 | 0.78 |
| MK-RC-0036 | 123.44 | 192.02 | 68.58 | 0.59 |
| MK-RC-0036 | 204.22 | 214.88 | 10.66 | 0.49 |
| MK-RC-0036 | 219.46 | 220.98 | 1.52 | 0.25 |
| MK-RC-0036 | 222.50 | 237.74 | 15.24 | 0.45 |
| MK-RC-0036 | 245.36 | 259.08 | 13.72 | 1.00 |
| MK-RC-0037 | 48.77 | 51.82 | 3.05 | 0.60 |
| MK-RC-0037 | 100.58 | 108.20 | 7.62 | 0.71 |
| MK-RC-0037 | 111.25 | 115.82 | 4.57 | 0.71 |
| MK-RC-0037 | 123.44 | 128.02 | 4.58 | 1.41 |
| MK-RC-0037 | 146.30 | 147.83 | 1.53 | 0.29 |
| MK-RC-0037 | 175.26 | 176.78 | 1.52 | 0.35 |
| MK-RC-0037 | 202.69 | 231.65 | 28.96 | 1.32 |
| MK-RC-0037 | 236.22 | 237.74 | 1.52 | 0.45 |
| MK-RC-0037 | 243.84 | 245.36 | 1.52 | 0.29 |
| MK-RC-0037 | 249.94 | 295.66 | 45.72 | 0.58 |
| MK-RC-0038 | 0.00 | 1.52 | 1.52 | 0.36 |
| MK-RC-0038 | 7.62 | 9.14 | 1.52 | 0.76 |
| MK-RC-0038 | 13.72 | 15.24 | 1.52 | 0.61 |
| MK-RC-0038 | 18.29 | 21.34 | 3.05 | 0.73 |
| MK-RC-0038 | 32.00 | 41.15 | 9.15 | 0.44 |
| MK-RC-0038 | 71.63 | 73.15 | 1.52 | 0.37 |
| MK-RC-0038 | 86.87 | 99.06 | 12.19 | 0.38 |
| MK-RC-0038 | 117.35 | 118.87 | 1.52 | 0.45 |
| MK-RC-0038 | 158.50 | 160.02 | 1.52 | 0.35 |
| MK-RC-0038 | 202.69 | 204.22 | 1.53 | 0.31 |
| MK-RC-0038 | 207.26 | 217.93 | 10.67 | 0.40 |
| MK-RC-0038 | 225.55 | 230.12 | 4.57 | 0.43 |
| MK-RC-0039 | 3.05 | 4.57 | 1.52 | 0.30 |
| MK-RC-0039 | 18.29 | 44.20 | 25.91 | 3.35 |
| MK-RC-0039 | 48.77 | 50.29 | 1.52 | 7.58 |
| MK-RC-0039 | 59.44 | 67.06 | 7.62 | 4.25 |
| MK-RC-0039 | 77.72 | 79.25 | 1.53 | 0.30 |
| MK-RC-0039 | 96.01 | 100.58 | 4.57 | 0.32 |
| MK-RC-0039 | 114.30 | 117.35 | 3.05 | 0.84 |
| MK-RC-0039 | 123.44 | 126.49 | 3.05 | 0.93 |
| MK-RC-0039 | 132.59 | 190.50 | 57.91 | 1.30 |
| MK-RC-0039 | 198.12 | 205.74 | 7.62 | 0.36 |
| MK-RC-0039 | 210.31 | 277.37 | 67.06 | 0.53 |
| MK-RC-0040 | 1.52 | 12.19 | 10.67 | 0.91 |
| MK-RC-0040 | 16.76 | 21.34 | 4.58 | 0.72 |
| MK-RC-0040 | 36.58 | 38.10 | 1.52 | 0.50 |
| MK-RC-0040 | 42.67 | 44.20 | 1.53 | 0.33 |
| MK-RC-0040 | 50.29 | 54.86 | 4.57 | 0.43 |
| MK-RC-0040 | 71.63 | 73.15 | 1.52 | 0.48 |

| HoleID | From_m | To_m | Length_m | g/t_Au |
|------------|--------|--------|----------|--------|
| MK-RC-0040 | 83.82 | 85.34 | 1.52 | 0.39 |
| MK-RC-0040 | 99.06 | 100.58 | 1.52 | 0.31 |
| MK-RC-0040 | 109.73 | 112.78 | 3.05 | 0.41 |
| MK-RC-0040 | 129.54 | 132.59 | 3.05 | 0.32 |
| MK-RC-0040 | 129.54 | 132.59 | 3.05 | 0.32 |
| MK-RC-0040 | 170.69 | 173.74 | 3.05 | 0.29 |
| MK-RC-0040 | 175.26 | 182.88 | 7.62 | 0.34 |
| MK-RC-0040 | 190.50 | 192.02 | 1.52 | 0.52 |
| MK-RC-0040 | 202.69 | 208.79 | 6.10 | 0.29 |
| MK-RC-0040 | 219.46 | 220.98 | 1.52 | 0.65 |
| MK-RC-0040 | 237.74 | 239.27 | 1.53 | 0.35 |
| MK-RC-0040 | 249.94 | 310.90 | 60.96 | 0.80 |
| MK-RC-0040 | 316.99 | 330.71 | 13.72 | 0.64 |
| MK-RC-0041 | 19.81 | 25.91 | 6.10 | 0.39 |
| MK-RC-0041 | 39.62 | 70.10 | 30.48 | 0.69 |
| MK-RC-0041 | 76.20 | 79.25 | 3.05 | 0.72 |
| MK-RC-0041 | 83.82 | 153.92 | 70.10 | 0.74 |
| MK-RC-0041 | 155.45 | 190.50 | 35.05 | 0.45 |
| MK-RC-0041 | 195.07 | 207.26 | 12.19 | 0.44 |
| MK-RC-0041 | 211.84 | 213.36 | 1.52 | 0.41 |
| MK-RC-0041 | 220.98 | 239.27 | 18.29 | 0.50 |
| MK-RC-0042 | 16.76 | 18.29 | 1.53 | 0.33 |
| MK-RC-0042 | 24.38 | 32.00 | 7.62 | 1.35 |
| MK-RC-0042 | 36.58 | 38.10 | 1.52 | 0.30 |
| MK-RC-0042 | 39.62 | 42.67 | 3.05 | 0.43 |
| MK-RC-0042 | 47.24 | 50.29 | 3.05 | 2.08 |
| MK-RC-0042 | 57.91 | 74.68 | 16.77 | 0.92 |
| MK-RC-0042 | 79.25 | 82.30 | 3.05 | 0.54 |
| MK-RC-0042 | 86.87 | 88.39 | 1.52 | 0.47 |
| MK-RC-0042 | 94.49 | 103.63 | 9.14 | 0.41 |
| MK-RC-0042 | 112.78 | 114.30 | 1.52 | 0.31 |
| MK-RC-0042 | 121.92 | 123.44 | 1.52 | 0.37 |
| MK-RC-0042 | 131.06 | 140.21 | 9.15 | 0.80 |
| MK-RC-0042 | 144.78 | 153.92 | 9.14 | 0.52 |
| MK-RC-0042 | 158.50 | 164.59 | 6.09 | 0.32 |
| MK-RC-0042 | 167.64 | 170.69 | 3.05 | 0.31 |
| MK-RC-0042 | 175.26 | 227.08 | 51.82 | 0.41 |
| MK-RC-0043 | 3.05 | 6.10 | 3.05 | 3.33 |
| MK-RC-0043 | 15.24 | 16.76 | 1.52 | 0.55 |
| MK-RC-0043 | 39.62 | 44.20 | 4.58 | 1.79 |
| MK-RC-0043 | 48.77 | 80.77 | 32.00 | 0.83 |
| MK-RC-0043 | 85.34 | 228.60 | 143.26 | 1.32 |
| MK-RC-0043 | 234.70 | 265.18 | 30.48 | 0.50 |
| MK-RC-0044 | 56.39 | 57.91 | 1.52 | 0.77 |
| MK-RC-0044 | 97.54 | 124.97 | 27.43 | 0.84 |
| MK-RC-0044 | 132.59 | 141.73 | 9.14 | 0.96 |
| MK-RC-0044 | 147.83 | 149.35 | 1.52 | 0.29 |
| MK-RC-0044 | 152.40 | 164.59 | 12.19 | 0.62 |
| MK-RC-0044 | 167.64 | 195.07 | 27.43 | 0.61 |
| MK-RC-0044 | 202.69 | 222.50 | 19.81 | 0.51 |

| HoleID | From_m | To_m | Length_m | g/t_Au |
|------------|--------|--------|----------|--------|
| MK-RC-0044 | 231.65 | 233.17 | 1.52 | 0.43 |
| MK-RC-0045 | 3.05 | 4.57 | 1.52 | 0.72 |
| MK-RC-0045 | 7.62 | 9.14 | 1.52 | 0.34 |
| MK-RC-0045 | 16.76 | 18.29 | 1.53 | 0.26 |
| MK-RC-0045 | 19.81 | 21.34 | 1.53 | 0.31 |
| MK-RC-0045 | 22.86 | 30.48 | 7.62 | 0.85 |
| MK-RC-0045 | 39.62 | 42.67 | 3.05 | 0.44 |
| MK-RC-0045 | 80.77 | 103.63 | 22.86 | 1.79 |
| MK-RC-0045 | 109.73 | 129.54 | 19.81 | 0.76 |
| MK-RC-0045 | 134.11 | 257.56 | 123.45 | 1.04 |
| MK-RC-0045 | 262.13 | 291.08 | 28.95 | 0.63 |
| MK-RC-0045 | 297.18 | 312.42 | 15.24 | 0.62 |
| MK-RC-0046 | 13.72 | 19.81 | 6.09 | 0.63 |
| MK-RC-0046 | 32.00 | 33.53 | 1.53 | 0.52 |
| MK-RC-0046 | 38.10 | 48.77 | 10.67 | 0.73 |
| MK-RC-0046 | 53.34 | 112.78 | 59.44 | 0.90 |
| MK-RC-0046 | 115.82 | 146.30 | 30.48 | 0.83 |
| MK-RC-0046 | 155.45 | 156.97 | 1.52 | 1.56 |
| MK-RC-0046 | 163.07 | 167.64 | 4.57 | 0.30 |
| MK-RC-0046 | 193.55 | 198.12 | 4.57 | 0.91 |
| MK-RC-0046 | 210.31 | 214.88 | 4.57 | 0.38 |
| MK-RC-0046 | 220.98 | 227.08 | 6.10 | 0.50 |
| MK-RC-0046 | 236.22 | 266.70 | 30.48 | 0.64 |
| MK-RC-0046 | 280.42 | 284.99 | 4.57 | 0.32 |
| MK-RC-0047 | 28.96 | 30.48 | 1.52 | 0.33 |
| MK-RC-0047 | 56.39 | 57.91 | 1.52 | 0.87 |
| MK-RC-0047 | 153.92 | 155.45 | 1.53 | 0.28 |
| MK-RC-0047 | 163.07 | 164.59 | 1.52 | 0.29 |
| MK-RC-0047 | 175.26 | 179.83 | 4.57 | 1.32 |
| MK-RC-0047 | 188.98 | 222.50 | 33.52 | 0.60 |
| MK-RC-0047 | 227.08 | 262.13 | 35.05 | 0.91 |
| MK-RC-0048 | 57.91 | 59.44 | 1.53 | 0.44 |
| MK-RC-0048 | 67.06 | 68.58 | 1.52 | 0.34 |
| MK-RC-0048 | 99.06 | 100.58 | 1.52 | 0.36 |
| MK-RC-0048 | 140.21 | 143.26 | 3.05 | 3.07 |
| MK-RC-0048 | 178.31 | 179.83 | 1.52 | 0.28 |
| MK-RC-0048 | 190.50 | 192.02 | 1.52 | 0.32 |
| MK-RC-0048 | 195.07 | 196.60 | 1.53 | 0.25 |
| MK-RC-0048 | 204.22 | 262.13 | 57.91 | 0.96 |
| MK-RC-0048 | 263.65 | 266.70 | 3.05 | 0.30 |
| MK-RC-0048 | 272.80 | 277.37 | 4.57 | 0.54 |
| MK-RC-0048 | 281.94 | 286.51 | 4.57 | 0.33 |
| MK-RC-0048 | 288.04 | 297.18 | 9.14 | 0.42 |
| MK-RC-0048 | 303.28 | 309.37 | 6.09 | 0.62 |
| MK-RC-0048 | 313.94 | 330.71 | 16.77 | 0.45 |
| MK-RC-0048 | 335.28 | 342.90 | 7.62 | 0.44 |
| MK-RC-0048 | 345.95 | 349.00 | 3.05 | 0.32 |
| MK-RC-0049 | 13.72 | 21.34 | 7.62 | 0.72 |
| MK-RC-0049 | 33.53 | 35.05 | 1.52 | 1.13 |
| MK-RC-0049 | 39.62 | 41.15 | 1.53 | 0.72 |

| HoleID | From_m | To_m | Length_m | g/t_Au |
|------------|--------|--------|----------|--------|
| MK-RC-0049 | 47.24 | 48.77 | 1.53 | 0.27 |
| MK-RC-0049 | 68.58 | 86.87 | 18.29 | 0.54 |
| MK-RC-0049 | 102.11 | 103.63 | 1.52 | 0.67 |
| MK-RC-0049 | 132.59 | 134.11 | 1.52 | 0.90 |
| MK-RC-0049 | 143.26 | 149.35 | 6.09 | 0.30 |
| MK-RC-0049 | 155.45 | 161.54 | 6.09 | 0.33 |
| MK-RC-0049 | 169.16 | 172.21 | 3.05 | 0.84 |
| MK-RC-0049 | 176.78 | 179.83 | 3.05 | 0.66 |
| MK-RC-0049 | 182.88 | 225.55 | 42.67 | 0.50 |
| MK-RC-0049 | 228.60 | 237.74 | 9.14 | 0.54 |
| MK-RC-0049 | 249.94 | 257.56 | 7.62 | 0.38 |
| MK-RC-0050 | 160.02 | 161.54 | 1.52 | 0.53 |
| MK-RC-0050 | 172.21 | 173.74 | 1.53 | 0.75 |
| MK-RC-0050 | 178.31 | 265.18 | 86.87 | 1.16 |
| MK-RC-0051 | 7.62 | 15.24 | 7.62 | 1.18 |
| MK-RC-0051 | 21.34 | 28.96 | 7.62 | 1.48 |
| MK-RC-0051 | 35.05 | 39.62 | 4.57 | 0.59 |
| MK-RC-0051 | 48.77 | 50.29 | 1.52 | 0.26 |
| MK-RC-0051 | 62.48 | 64.01 | 1.53 | 0.40 |
| MK-RC-0051 | 70.10 | 76.20 | 6.10 | 0.74 |
| MK-RC-0051 | 80.77 | 91.44 | 10.67 | 0.63 |
| MK-RC-0051 | 97.54 | 105.16 | 7.62 | 0.58 |
| MK-RC-0051 | 111.25 | 118.87 | 7.62 | 0.33 |
| MK-RC-0051 | 121.92 | 129.54 | 7.62 | 0.27 |
| MK-RC-0051 | 134.11 | 138.68 | 4.57 | 1.09 |
| MK-RC-0051 | 147.83 | 173.74 | 25.91 | 0.57 |
| MK-RC-0051 | 181.36 | 182.88 | 1.52 | 0.30 |
| MK-RC-0051 | 201.17 | 207.26 | 6.09 | 0.30 |
| MK-RC-0051 | 210.31 | 211.84 | 1.53 | 0.51 |
| MK-RC-0052 | 3.05 | 36.58 | 33.53 | 0.85 |
| MK-RC-0052 | 47.24 | 48.77 | 1.53 | 0.32 |
| MK-RC-0052 | 79.25 | 80.77 | 1.52 | 0.45 |
| MK-RC-0052 | 89.92 | 91.44 | 1.52 | 0.42 |
| MK-RC-0052 | 97.54 | 99.06 | 1.52 | 0.36 |
| MK-RC-0052 | 106.68 | 115.82 | 9.14 | 1.30 |
| MK-RC-0052 | 150.88 | 152.40 | 1.52 | 0.26 |
| MK-RC-0052 | 156.97 | 172.21 | 15.24 | 0.54 |
| MK-RC-0052 | 179.83 | 181.36 | 1.53 | 0.25 |
| MK-RC-0052 | 193.55 | 196.60 | 3.05 | 1.29 |
| MK-RC-0052 | 202.69 | 204.22 | 1.53 | 0.29 |
| MK-RC-0052 | 205.74 | 249.94 | 44.20 | 0.74 |
| MK-RC-0053 | 33.53 | 35.05 | 1.52 | 0.66 |
| MK-RC-0053 | 68.58 | 70.10 | 1.52 | 1.36 |
| MK-RC-0053 | 83.82 | 85.34 | 1.52 | 0.42 |
| MK-RC-0053 | 92.96 | 96.01 | 3.05 | 0.67 |
| MK-RC-0053 | 100.58 | 103.63 | 3.05 | 0.43 |
| MK-RC-0053 | 109.73 | 153.92 | 44.19 | 0.71 |
| MK-RC-0053 | 158.50 | 166.12 | 7.62 | 0.34 |
| MK-RC-0053 | 179.83 | 181.36 | 1.53 | 1.02 |
| MK-RC-0053 | 195.07 | 198.12 | 3.05 | 0.32 |

| HoleID | From_m | To_m | Length_m | g/t_Au |
|------------|--------|--------|----------|--------|
| MK-RC-0054 | 12.19 | 13.72 | 1.53 | 2.90 |
| MK-RC-0054 | 166.12 | 172.21 | 6.09 | 1.31 |
| MK-RC-0054 | 181.36 | 251.46 | 70.10 | 0.81 |
| MK-RC-0054 | 254.51 | 323.09 | 68.58 | 0.61 |
| MK-RC-0054 | 329.18 | 336.80 | 7.62 | 0.41 |
| MK-RC-0054 | 338.33 | 339.85 | 1.52 | 0.31 |
| MK-RC-0055 | 6.10 | 9.14 | 3.04 | 0.38 |
| MK-RC-0055 | 25.91 | 27.43 | 1.52 | 0.30 |
| MK-RC-0055 | 30.48 | 32.00 | 1.52 | 0.80 |
| MK-RC-0055 | 38.10 | 39.62 | 1.52 | 1.75 |
| MK-RC-0055 | 51.82 | 59.44 | 7.62 | 0.33 |
| MK-RC-0055 | 76.20 | 85.34 | 9.14 | 0.57 |
| MK-RC-0055 | 88.39 | 114.30 | 25.91 | 0.65 |
| MK-RC-0055 | 117.35 | 118.87 | 1.52 | 0.30 |
| MK-RC-0055 | 140.21 | 143.26 | 3.05 | 0.42 |
| MK-RC-0055 | 152.40 | 160.02 | 7.62 | 0.37 |
| MK-RC-0055 | 166.12 | 176.78 | 10.66 | 0.62 |
| MK-RC-0055 | 188.98 | 198.12 | 9.14 | 1.07 |
| MK-RC-0055 | 202.69 | 204.22 | 1.53 | 0.66 |
| MK-RC-0055 | 210.31 | 225.55 | 15.24 | 0.49 |
| MK-RC-0055 | 227.08 | 228.60 | 1.52 | 0.25 |
| MK-RC-0055 | 242.32 | 243.84 | 1.52 | 0.39 |
| MK-RC-0055 | 260.60 | 262.13 | 1.53 | 0.50 |
| MK-RC-0057 | 85.34 | 86.87 | 1.53 | 0.54 |
| MK-RC-0057 | 149.35 | 153.92 | 4.57 | 0.72 |
| MK-RC-0057 | 167.64 | 181.36 | 13.72 | 1.66 |
| MK-RC-0057 | 185.93 | 187.45 | 1.52 | 0.35 |
| MK-RC-0057 | 193.55 | 216.41 | 22.86 | 0.76 |
| MK-RC-0057 | 224.03 | 225.55 | 1.52 | 1.11 |
| MK-RC-0057 | 259.08 | 260.60 | 1.52 | 0.26 |
| MK-RC-0057 | 265.18 | 271.27 | 6.09 | 0.45 |
| MK-RC-0058 | 134.11 | 135.64 | 1.53 | 0.30 |
| MK-RC-0060 | 12.19 | 15.24 | 3.05 | 0.32 |
| MK-RC-0060 | 70.10 | 71.63 | 1.53 | 3.36 |
| MK-RC-0060 | 83.82 | 85.34 | 1.52 | 0.55 |
| MK-RC-0060 | 111.25 | 117.35 | 6.10 | 4.14 |
| MK-RC-0060 | 126.49 | 128.02 | 1.53 | 0.27 |
| MK-RC-0060 | 137.16 | 138.68 | 1.52 | 0.46 |
| MK-RC-0060 | 143.26 | 146.30 | 3.04 | 0.30 |
| MK-RC-0060 | 149.35 | 153.92 | 4.57 | 0.49 |
| MK-RC-0060 | 163.07 | 179.83 | 16.76 | 0.85 |
| MK-RC-0060 | 196.60 | 228.60 | 32.00 | 0.58 |
| MK-RC-0060 | 233.17 | 242.32 | 9.15 | 0.43 |
| MK-RC-0060 | 248.41 | 249.94 | 1.53 | 0.36 |
| MK-RC-0060 | 254.51 | 336.80 | 82.29 | 1.10 |
| MN-1 | 0.00 | 1.52 | 1.52 | 0.28 |
| MN-1 | 4.57 | 32.00 | 27.43 | 0.61 |
| MN-1 | 33.53 | 35.05 | 1.52 | 0.39 |
| MN-1 | 38.10 | 106.68 | 68.58 | 0.70 |
| MN-2 | 4.57 | 25.91 | 21.34 | 0.82 |

| HoleID | From_m | To_m | Length_m | g/t_Au |
|--------|--------|--------|----------|--------|
| MN-2 | 32.00 | 36.58 | 4.58 | 0.43 |
| MN-2 | 41.15 | 60.96 | 19.81 | 1.01 |
| MN-2 | 65.53 | 67.06 | 1.53 | 0.55 |
| MN-2 | 73.15 | 83.82 | 10.67 | 0.57 |
| MN-2 | 89.92 | 103.63 | 13.71 | 0.43 |
| MN-3 | 6.10 | 7.62 | 1.52 | 1.44 |
| MN-3 | 13.72 | 18.29 | 4.57 | 0.30 |
| MN-3 | 24.38 | 30.48 | 6.10 | 0.42 |
| MN-3 | 39.62 | 44.20 | 4.58 | 0.26 |
| MN-3 | 48.77 | 50.29 | 1.52 | 0.66 |
| MN-3 | 82.30 | 83.82 | 1.52 | 0.27 |
| TL-11 | 27.43 | 28.04 | 0.61 | 0.57 |
| TL-11 | 60.35 | 61.72 | 1.37 | 0.34 |
| TL-12 | 36.00 | 40.00 | 4.00 | 0.37 |
| TL-12 | 70.00 | 72.00 | 2.00 | 0.25 |
| TL-12 | 76.00 | 80.00 | 4.00 | 0.30 |
| TL-12 | 82.00 | 84.00 | 2.00 | 0.38 |
| TL-12 | 84.50 | 84.60 | 0.10 | 0.29 |
| TL-12 | 88.00 | 96.00 | 8.00 | 0.36 |
| TL-13 | 15.50 | 15.60 | 0.10 | 1.04 |
| TL-13 | 40.00 | 42.00 | 2.00 | 0.29 |
| TL-13 | 46.63 | 48.77 | 2.14 | 0.35 |
| TL-13 | 74.00 | 76.00 | 2.00 | 0.26 |
| TL-13 | 81.50 | 82.75 | 1.25 | 0.26 |
| TL-13 | 119.78 | 122.00 | 2.22 | 0.28 |
| TL-13 | 140.50 | 142.25 | 1.75 | 0.31 |
| TL-14 | 45.11 | 57.52 | 12.41 | 0.36 |
| TL-14 | 68.88 | 70.41 | 1.53 | 0.88 |
| TL-14 | 76.63 | 78.18 | 1.55 | 0.94 |
| TL-14 | 84.44 | 85.95 | 1.51 | 0.55 |
| TL-14 | 100.58 | 113.08 | 12.50 | 1.02 |
| TL-7 | 14.50 | 16.50 | 2.00 | 0.25 |
| TL-7 | 25.84 | 26.50 | 0.66 | 0.30 |
| TL-8 | 15.08 | 16.36 | 1.28 | 0.26 |
| TL-8 | 164.00 | 166.00 | 2.00 | 0.25 |
| TL-9 | 86.00 | 88.00 | 2.00 | 0.33 |
| TL-9 | 100.00 | 100.20 | 0.20 | 0.25 |